AUTHOR INDEX

Alberts, H. L., 227
Allibert, C. H., 75
Anlage, S. M., 237
Arbus, A., 9

Bartscher, W., 385
Bastide, J. P., L1
Blachnik, R., 183
Bolzoni, F., 375
Bouamrane, A., L1
Burnasheva, V. V., 121
Buschow, K. H. J., 207, 367

Cacciamani, G., 249
Carlson, O. N., 31
Castanet, R., 287
Cenzual, K., 313
Christl, E. G., 277
Chuang, Y. C., 147
Ciurapiński, A., 135
Claudy, P., L1
Cousseins, J. C., 9

Dao, C.-N., 339
David, W. I. F., 375
Delannay, F., 75
Delfino, S., 249
De Mooij, D. B., 207
Derkaoui, S., 75

El Ghadraoui, E. H., 303

Fedorowa, E. G., 55
Ferro, R., 249
Fournier, M. T., 9
Fremy, M. A., 19

Gachon, J. C., 313
Gather, B., 183
Głowiak, T., 339
Graf, T., 313
Grin, Yu. N., 55, 329
Grössinger, R., 367
Grossman, S., 41
Guérin, R., 303

Harrison, W. T. A., 375
Haschke, J. M., 385
Hertz, J., 313
Hewat, A. W., 375
Hiebl, K., 329
Hirata, T., 217
Huang, Y. K., 169
Huber, J. G., 87
Huskowska, E., 339

Indrawirawan, H., 31
Irle, E., 183
Ishizawa, Y., 201

Jakubowski-Ripke, U., 261
Jeitschko, W., 261
Jorda, J. L., 313

Kadowaki, K., 169
Karayannis, N. M., 41
Karczyński, F., 155
Keita, M., 95
Kirchmayr, H., 367
Kleykamp, H., 271
Korobov, I. I., 121
Kovrigina, I. V., 121
Kume, Y., 51

Laborde, O., 175
Laforest, J., 75
Lawson, A.C., 87
Legendziewicz, J., 339
Le Roy, J., 19
Létoffé, J. M., L1
Lewis, L. A., 349
Liu, G., 111

Madar, R., 175
Mahiou, R., 9
Marin, F. P., 1
Menovsky, A. A., 169
Mevs, H., 193
Mikulski, C. M., 41
Moleman, A. C., 169
Moreau, J. M., 19
Moze, O., 375
Muller, J., 313
Müller-Buschbaum, Hk., 193

Naito, S., 25
Nash, P., 237

Otani, S., 201

Paccard, D., 297
Paccard, L., 297
Pareti, L., 375
Petrii, O. A., 121
Pivan, J. Y., 303

Ramachandran, R., 237
Range, K.-J., 277
Rebizant, J., 385
Rogl, P., 329
Roliński, E., 135

Sabirsijanow, N. A., 55
Saccone, A., 249
Salomons, E., 169
Schellenberg, L., 313
Schwarz, R. B., 237
Semenenko, K. N., 121
Senateur, J. P., 175
Shao, Z. B., 147
Sitschewitsch, O. M., 55
Solzi, M., 375
Sommer, F., 95
Smit, P., 227
van Sprang, M., 169
Stakebake, J. L., 349
Starosta, J., 155
Storms, E. K., 61
Stubina, N. M., 111
Szade, J., 101
Szklarz, E. G., 61
Szymura, S., 161

Tanaka, T., 201
Thomas, O., 175
Toguri, J. M., 111
Tseng, M. D., 31

© Elsevier Sequoia/Printed in The Netherlands

Vasina, S. Ya., 121

Waliś, L., 135
Waseda, Y., 25
Weiss, A., 51
Williams, A., 87
Wojciechowski, W., 155
Wu, C. H., 147
Yamada, T., 201
Yarmolyuk, Ya. P., 55
Yatsenko, S. P., 55
Yokoyama, I., 25

SUBJECT INDEX

Alanine
- spectroscopy and crystal structure of octaaquatetra-1-α-alaninedihol-mium(III) hexachloride $[Ho_2(L\text{-}\alpha\text{-}AlaH)_4(H_2O)_8]Cl_6$, 339

Alloys
- effects of sample preparation on the behaviour of the electrical resistivity at the magnetic transitions in dilute Cr–Ga and Cr–Ge alloys, 227
- enthalpy of formation of Cu–Ag–Si (or Ge), Ag–Au–Si (or Ge) and Au–Cu–Si (or Ge) liquid alloys, 287
- excess enthalpies of liquid Ga–Ge–Te and Ga–Sn–Te alloys, 183
- induced magnetic anisotropy in iron–aluminium–carbon alloys, 161
- influence of zirconium on $Sm(Co, Fe, Cu, Zr)_{7.2}$ alloys for permanent magnets II: composition and lattice constants of the phases in heat-treated materials, 75
- metallographic and radioisotopic investigation of the plasma nitrided $Ti_6Al_{2.5}Mo_2Cr$ alloy with an $\alpha + \beta$ sturcture, 135

Aluminium
- determination of the enthalpies of formation of intermetallic compounds of aluminium with cerium, erbium and gadolinium, 95
- high-pressure synthesis and crystal structure of Pd_8Al_{21}, $Pd_8Al_{17}Si_4$ and Pt_8Al_{21}, 277
- induced magnetic anisotropy in iron–aluminium–carbon alloys, 161
- metallographic and radioisotopic investigation of the plasma nitrided $Ti_6Al_{2.5}Mo_2Cr$ alloy with an $\alpha + \beta$ structure, 135
- phase equilibria for the aluminum-rich region of the Al–Ru system, 237

Anderson model
- phonon-assisted structural transitions in a one-impurity Anderson model, 1

Arsenic
- vaporization thermodynamics of $PdAs_x$ (liquid), $Pd_{0.75}(As_{1-x}B_x)_{0.25}$ (liquid) and elemental arsenic, 61

Barium
- further metastable compounds with tunnel structure: $BaCa_2Er_{10}O_{18}$ and $BaCa_2Yb_{10}O_{18}$, 193
- high temperature characterization of the $YBa_2Cu_3O_{9-y}$ phase, 169

Boron
- magnetic anisotropy in the system $La_2Fe_{14-x}Co_xB$ and its relation to the system $Nd_2Fe_{14-x}Co_xB$, 367
- magnetic structure and preferential site occupation in manganese- and chromium-substituted $Y_2Fe_{14}B$ compounds, 375
- structural properties of $CeRh_3B_2$, 87
- vaporization thermodynamics of $PdAs_x$ (liquid), $Pd_{0.75}(As_{1-x}B_x)_{0.25}$ (liquid) and elemental arsenic, 61

Calcium
- further metastable compounds with tunnel structure: $BaCa_2Er_{10}O_{18}$ and $BaCa_2Yb_{10}O_{18}$, 193

Carbides
- crystallographic and magnetic properties of a new series $RFe_{10}SiC_{0.5}$ ($R \equiv Ce, Pr, Nd, Sm$), 19
- $Dy_2Fe_2Si_2C$: a new structure derived from Ge_2Os and stabilized by carbon, 297
- induced magnetic anisotropy in iron–aluminium–carbon alloys, 161

Cerium
- determination of the enthalpies of formation of intermetallic compounds of aluminium with cerium, erbium and gadolinium, 95
- investigation of materials based on intermetallic compounds of the $CeNi_3$–$CeCo_3$ system and a polymeric binding material, 121
- investigation of the Ce–Fe binary system, 147
- structural properties of $CeRh_3B_2$, 87

© Elsevier Sequoia/Printed in The Netherlands

Chlorides
surface tension and density measurements of the molten YCl_3–KCl binary system, 111
Chromium
effects of sample preparation on the behaviour of the electrical resistivity at the magnetic transitions in dilute Cr–Ga and Cr–Ge alloys, 227
magnetic structure and preferential site occupation in manganese- and chromium-substituted $Y_2Fe_{14}B$ compounds, 375
metallographic and radioisotopic investigation of the plasma nitrided $Ti_6Al_{2.5}Mo_2Cr$ alloy with an $\alpha + \beta$ structure, 135
Cobalt
investigation of materials based on intermetallic compounds of the $CeNi_3$–$CeCo_3$ system and a polymeric binding material, 121
magnetic and spectroscopic properties of $[Co(AGlH)_2py_2][Cr(NH_3)_2(NCS)_4]$ and $[Co(AGlH)_2py_2][Co(NH_3)_2(NO_2)_4]$ complexes, 155
magnetic anisotropy in the system $La_2Fe_{14-x}Co_xB$ and its relation to the system $Nd_2Fe_{14-x}Co_xB$, 367
rare-earth-metal cobalt phosphides with $HoCo_3P_2$-, $Sc_5Co_{19}P_{12}$- and YCo_5P_3-type structures, 261
Complexes
magnetic and spectroscopic properties of $[Co(AGlH)_2py_2][Cr(NH_3)_2(NCS)_4]$ and $[Co(AGlH)_2py_2][Co(NH_3)_2(NO_2)_4]$ complexes, 155
zirconium(IV) oxochloride complexes with xanthines and hypoxanthine, 41
Conduction electron polarization effects
conduction electron polarization effects in $Gd_{1-x}RE_xAg$ (RE = Y, Lu, La, Er), 101
Copper
enthalpy of formation of Cu–Ag–Si (or Ge), Ag–Au–Si (or Ge) and Au–Cu–Si (or Ge) liquid alloys, 287
high temperature characterization of the $YBa_2Cu_3O_{9-y}$ phase, 169
Crystal growth
crystal growth, characterization and resistivity measurements of $TiSi_2$ single crystals, 175
Crystallography
crystallographic and magnetic properties of a new series $RFe_{10}SiC_{0.5}$ (R = Ce, Pr, Nd, Sm), 19
relationship between spectroscopic and crystallographic data in $NaGdF_4$, 9
Crystal structure
crystal structure of Eu_3Ga_5, 55
high-pressure synthesis and crystal structure of Pd_8Al_{21}, $Pd_8Al_{17}Si_4$ and Pt_8Al_{21}, 277

Denisty
surface tension and density measurements of the molten YCl_3–KCl binary system, 111
Dysprosium
binary phase diagrams of thallium with gadolinium, terbium and dysprosium, 249
$Dy_2Fe_2Si_2C$: a new structure derived from Ge_2Os and stabilized by carbon, 297

Erbium
determination of the enthalpies of formation of intermetallic compounds of aluminium with cerium, erbium and gadolinium, 95
further metastable compounds with tunnel structure: $BaCa_2Er_{10}O_{18}$ and $BaCa_2Yb_{10}O_{18}$, 193
Europium
crystal structure of Eu_3Ga_5, 55

Floating zone pass
composition changes in TiCN crystals due to floating zone pass, 201
Fluorides
relationship between spectroscopic and crystallographic data in $NaGdF_4$, 9

Gadolinium
binary phase diagrams of thallium with gadolinium, terbium and dysprosium, 249
conduction electron polarization effects in $Gd_{1-x}RE_xAg$ (RE = Y, Lu, La, Er), 101
determination of the enthalpies of formation of intermetallic compounds of aluminium with cerium, erbium and gadolinium, 95
relationship between spectroscopic and crystallographic data in $NaGdF_4$, 9

Gallium
crystal structure of Eu_3Ga_5, 55
effects of sample preparation on the behaviour of the electrical resistivity at the magnetic transitions in dilute Cr–Ga and Cr–Ge alloys, 227
excess enthalpies of liquid Ga–Ge–Te and Ga–Sn–Te alloys, 183
kinetics and oxygen pressure dependence of the high temperature oxidation of Pu–1wt.%Ga, 349
structural chemistry and magnetic behaviour of ternary gallides $REPt_xGa_{4-x}$ (RE = La, Ce, Pr, Nd, Sm), 329
Germanium
effects of sample preparation on the behaviour of the electrical resistivity at the magnetic transitions in dilute Cr–Ga and Cr–Ge alloys, 227
enthalpy of formation of Cu–Ag–Si (or Ge), Ag–Au–Si (or Ge) and Au–Cu–Si (or Ge) liquid alloys, 287
excess enthalpies of liquid Ga–Ge–Te and Ga–Sn–Te alloys, 183
Gold
enthalpy of formation of Cu–Ag–Si (or Ge), Ag–Au–Si (or Ge) and Au–Cu–Si (or Ge) liquid alloys, 287

Hafnium
new ternary pnictides $MNi_{0.75}X_2$ (M = Zr, Hf) with a defective $CaBe_2Ge_2$-type structures — structure and properties, 303
Heat-treated materials
influence of zirconium on Sm(Co, Fe, Cu, Zr)$_{7.2}$ alloys for permanent magnets II: composition and lattice constants of the phases in heat-treated materials, 75
Holmium
rare-earth-metal cobalt phosphides with $HoCo_3P_2$-, $Sc_5Co_{19}P_{12}$- and YCo_5P_3-type structures, 261
spectroscopy and crystal structure of octaaquatetra-1-α-alaninedioholmium(III) hexachloride $[Ho_2(L\text{-}\alpha\text{-}AlaH)_4(H_2O)_8]Cl_6$, 339
Hydrides
equilibria and thermodynamic properties of the $ThZr_2$–H system, 385
preparation of magnesium and potassium dihydrides by solid state reaction, L1
Hydrogenation
hydrogenation of CO over $FeTi_{1.14}O_{0.03}$ after activation, 217

Intermetallics
determination of the enthalpies of formation of intermetallic compounds of aluminium with cerium, erbium and gadolinium, 95
interaction of hydrogen with the intermetallic phase Mg_6Pd, 51
investigation of materials based on intermetallic compounds of the $CeNi_3$–$CeCo_3$ system and a polymeric binding material, 121
Iron
crystallographic and magnetic properties of a new series $RFe_{10}SiC_{0.5}$ (R = Ce, Pr, Nd, Sm), 19
$Dy_2Fe_2Si_2C$: a new structure derived from Ge_2Os and stabilized by carbon, 297
hydrogenation of CO over $FeTi_{1.14}O_{0.03}$ after activation, 217
induced magnetic anisotropy in iron–aluminium–carbon alloys, 161
investigation of the Ce–Fe binary system, 147
magnetic anisotropy in the system $La_2Fe_{14-x}Co_xB$ and its relation to the system $Nd_2Fe_{14-x}Co_xB$, 367
magnetic structure and preferential site occupation in manganese- and chromium-substituted $Y_2Fe_{14}B$ compounds, 375
Isothermal compressibility
isothermal compressibility and sound velocity of liquid rare earth metals, 25

Kinetics
kinetics and oxygen pressure dependence of the high temperature oxidation of Pu–1wt.%Ga, 349

Lanthanum
magnetic anisotropy in the system $La_2Fe_{14-x}Co_xB$ and its relation to the system $Nd_2Fe_{14-x}Co_xB$, 367
Liquid alloys
enthalpy of formation of Cu–Ag–Si (or Ge), Ag–Au–Si (or Ge) and Au–Cu–Si (or Ge) liquid alloys, 287

excess enthalpies of liquid Ga–Ge–Te and Ga–Sn–Te alloys, 183
Liquid metals
isothermal compressibility and sound velocity of liquid rare earth metals, 25

Magnesium
interaction of hydrogen with the intermetallic phase Mg_6Pd, 51
preparation of magnesium and potassium dihydrides by solid state reaction, L1
Magnetic anisotropy
magnetic anisotropy in the system $La_2Fe_{14-x}Co_xB$ and its relation to the system $Nd_2Fe_{14-x}Co_xB$, 367
Magnetic properties
crystallographic and magnetic properties of a new series $RFe_{10}SiC_{0.5}$ (R = Ce, Pr, Nd, Sm), 19
effects of sample preparation on the behaviour of the electrical resistivity at the magnetic transitions in dilute Cr–Ga and Cr–Ge alloys, 227
induced magnetic anisotropy in iron–aluminium–carbon alloys, 161
magnetic and spectroscopic properties of $[Co(AglH)_2py_2][Cr(NH_3)_2(NCS)_4]$ and $[Co(AGlH)_2py_2][Co(NH_3)_2(NO_2)_4]$ complexes, 155
magnetic structure and preferential site occupation in manganese- and chromium-substituted $Y_2Fe_{14}B$ compounds, 375
structural chemistry and magnetic behaviour of ternary gallides $REPt_xGa_{4-x}$ (RE = La, Ce, Pr, Nd, Sm), 329
Manganese
magnetic structure and preferential site occupation in manganese- and chromium-substituted $Y_2Fe_{14}B$ compounds, 375
some novel ternary $ThMn_{12}$-type compounds, 207
Metallography
metallographic and radioisotopic investigation of the plasma nitrided $Ti_6Al_{2.5}Mo_2Cr$ alloy with an $\alpha + \beta$ structure, 135
Molybdenum
constitution of the Mo–Ru system, 271
metallographic and radioisotopic investigation of the plasma nitrided $Ti_6Al_{2.5}Mo_2Cr$ alloy with an $\alpha + \beta$ structure, 135

Nickel
investigation of materials based on intermetallic compounds of the $CeNi_3$–$CeCo_3$ system and a polymeric binding material, 121
Niobium
effect of vanadium on oxygen diffusivity in niobium, 31

Oxidation
kinetics and oxygen pressure dependence of the high temperature oxidation of Pu–1wt.%Ga, 349
Oxides
further metastable compounds with tunnel structure: $BaCa_2Er_{10}O_{18}$ and $BaCa_2Yb_{10}O_{18}$, 193
high temperature characterization of the $YBa_2Cu_3O_{9-y}$ phase, 169
Oxygen diffusivity
effect of vanadium on oxygen diffusivity in niobium, 31

Palladium
high-pressure synthesis and crystal structure of Pd_8Al_{21}, $Pd_8Al_{17}Si_4$ and Pt_8Al_{21}, 277
interaction of hydrogen with the intermetallic phase Mg_6Pd, 51
vaporization thermodynamics of $PdAs_x$ (liquid), $Pd_{0.75}(As_{1-x}B_x)_{0.25}$ (liquid) and elemental arsenic, 61
Permanent magnets
influence of zirconium on Sm(Co, Fe, Cu, Zr)$_{7.2}$ alloys for permanent magnets II: composition and lattice constants of the phases in heat-treated materials, 75
Phase diagram
binary phase diagrams of thallium with gadolinium, terbium and dysprosium, 249
Phosphides
rare-earth-metal cobalt phosphides with $HoCo_3P_2$-, $Sc_5Co_{19}P_{12}$- and YCo_5P_3-type structures, 261

Platinum
structural chemistry and magnetic behaviour of ternary gallides $REPt_xGa_{4-x}$ (RE = La, Ce, Pr, Nd, Sm), 329
high-pressure synthesis and crystal structure of Pd_8Al_{21}, $Pd_8Al_{17}Si_4$ and Pt_8Al_{21}, 277
Plutonium
kinetics and oxygen pressure dependence of the high temperature oxidation of Pu–1wt.%Ga, 349
Potassium
preparation of magnesium and potassium dihydrides by solid state reaction, L1

Rare earths
conduction electron polarization effects in $Gd_{1-x}RE_xAg$ (RE = Y, Lu, La, Er), 101
crystallographic and magnetic properties of a new series $RFe_{10}SiC_{0.5}$ (R = Ce, Pr, Nd, Sm), 19
structural chemistry and magnetic behaviour of ternary gallides $REPt_xGa_{4-x}$ (RE = La, Ce, Pr, Nd, Sm), 329
Rhodium
phase relations, thermochemistry and superconductivity in the Zr–Rh system, 313
structural properties of $CeRh_3B_2$, 87
Ruthenium
constitution of the Mo–Ru system, 271
phase equilibria for the aluminum-rich region of the Al–Ru system, 237

Samarium
influence of zirconium on Sm(Co, Fe, Cu, Zr)$_{7.2}$ alloys for permanent magnets II: composition and lattice constants of the phases in heat-treated materials, 75
Scandium
rare-earth-metal cobalt phosphides with $HoCo_3P_2$-, $Sc_5Co_{19}P_{12}$- and YCo_5P_3-type structures, 261
Silicon
crystal growth, characterization and resistivity measurements of $TiSi_2$ single crystals, 175
crystallographic and magnetic properties of a new series $RFe_{10}SiC_{0.5}$ (R = Ce, Pr, Nd, Sm), 19
$Dy_2Fe_2Si_2C$: a new structure derived from Ge_2Os and stabilized by carbon, 297
enthalpy of formation of Cu–Ag–Si (or Ge), Ag–Au–Si (or Ge) and Au–Cu–Si (or Ge) liquid alloys, 287
high-pressure synthesis and crystal structure of Pd_8Al_{21}, $Pd_8Al_{17}Si_4$ and Pt_8Al_{21}, 277
Silver
conduction electron polarization effects in $Gd_{1-x}RE_xAg$ (RE = Y, Lu, La, Er), 101
enthalpy of formation of Cu–Ag–Si (or Ge), Ag–Au–Si (or Ge) and Au–Cu–Si (or Ge) liquid alloys, 287
Single crystals
crystal growth, characterization and resistivity measurements of $TiSi_2$ single crystals, 175
Sound velocity
isothermal compressibility and sound velocity of liquid rare earth metals, 25
Spectroscopy
relationship between spectroscopic and crystallographic data in $NaGdF_4$, 9
magnetic and spectroscopic properties of $[Co(AglH)_2py_2][Cr(NH_3)_2(NCS)_4]$ and $[Co(AGlH)_2py_2][Co(NH_3)_2(NO_2)_4]$ complexes, 155
Structural properties
structural chemistry and magnetic behaviour of ternary gallides $REPt_xGa_{4-x}$ (RE = La, Ce, Pr, Nd, Sm), 329
structural properties of $CeRh_3B_2$, 87
Structural transitions
phonon-assisted structural transitions in a one-impurity Anderson model, 1
Superconductivity
phase relations, thermochemistry and superconductivity in the Zr–Rh system, 313
Surface tension
surface tension and density measurements of the molten YCl_3–KCl binary system, 111

Synthesis
high-pressure synthesis and crystal structure of Pd_8Al_{21}, $Pd_8Al_{17}Si_4$ and Pt_8Al_{21}, 277

Tellurium
excess enthalpies of liquid Ga–Ge–Te and Ga–Sn–Te alloys, 183
Terbium
binary phase diagrams of thallium with gadolinium, terbium and dysprosium, 249
Thallium
binary phase diagrams of thallium with gadolinium, terbium and dysprosium, 249
Thermochemistry
phase relations, thermochemistry and superconductivity in the Zr–Rh system, 313
Thermodynamic properties
equilibria and thermodynamic properties of the $ThZr_2$–H system, 385
Thorium
equilibria and thermodynamic properties of the $ThZr_2$–H system, 385
some novel ternary $ThMn_{12}$-type compounds, 207
Tin
excess enthalpies of liquid Ga–Ge–Te and Ga–Sn–Te alloys, 183
Titanium
composition changes in TiCN crystals due to floating zone pass, 201
crystal growth, characterization and resistivity measurements of $TiSi_2$ single crystals, 175
hydrogenation of CO over $FeTi_{1.14}O_{0.03}$ after activation, 217
metallographic and radioisotopic investigation of the plasma nitrided $Ti_6Al_{2.5}Mo_2Cr$ alloy with an $\alpha + \beta$ structure, 135
Tunnel structure
further metastable compounds with tunnel structure: $BaCa_2Er_{10}O_{18}$ and $BaCa_2Yb_{10}O_{18}$, 193

Vanadium
effect of vanadium on oxygen diffusivity in niobium, 31
Vaporization thermodynamics
vaporization thermodynamics of $PdAs_x$ (liquid), $Pd_{0.75}(As_{1-x}B_x)_{0.25}$ (liquid) and elemental arsenic, 61

Ytterbium
further metastable compounds with tunnel structure: $BaCa_2Er_{10}O_{18}$ and $BaCa_2Yb_{10}O_{18}$, 193
Yttrium
high temperature characterization of the $YBa_2Cu_3O_{9-y}$ phase, 169
magnetic structure and preferential site occupation in manganese- and chromium-substituted $Y_2Fe_{14}B$ compounds, 375
rare-earth-metal cobalt phosphides with $HoCo_3P_2$-, $Sc_5Co_{19}P_{12}$- and YCo_5P_3-type structures, 261
surface tension and density measurements of the molten YCl_3–KCl binary system, 111

Zirconium
equilibria and thermodynamic properties of the $ThZr_2$–H system, 385
influence of zirconium on Sm(Co, Fe, Cu, Zr)$_{7.2}$ alloys for permanent magnets II: composition and lattice constants of the phases in heat-treated materials, 75
new ternary pnictides $MNi_{0.75}X_2$ (M = Zr, Hf) with a defective $CaBe_2Ge_2$-type structure — structure and properties, 303
phase relations, thermochemistry and superconductivity in the Zr–Rh system, 313
zirconium(IV) oxochloride complexes with xanthines and hypoxanthine, 41